

WHAT IS CLAIMED IS:

5

1. A cabled connector with a cable extending from a connector cover, the cabled connector comprising:

10 a cable guide being an independent member from said connector cover, having a pipe form accommodating said cable therethrough, and enveloping and guiding a part of said cable leading out from said connector cover,

15 wherein said cable guide is attached detachably to said connector cover.

20

2. The cabled connector as claimed in claim 1, wherein said connector cover comprises a first half cover and a second half cover combined with each other,

25 said cable guide comprises two cable half guides combined with each other, each of the cable half guides having a semicircular cross section, and

30 said two cable half guides are coupled by being engaged with each other at end parts thereof, and are coupled with each other and attached detachably to said connector cover by being held between said first half cover and said second half cover at base parts of the two cable half guides.

35

3. The cabled connector as claimed in

claim 1, wherein a part attaching said cable guide to said connector cover is arranged symmetrical about a cable exit of said connector cover, and
said cable guide is capable of being
5 attached to said connector cover with an end part of said cable guide being turned in a different direction.

10

4. The cabled connector as claimed in claim 1, wherein said connector cover comprises a first half cover and a second half cover combined
15 with each other,

said first half cover and said second half cover include respective wall portions confronting each other when said first half cover and said second half cover are combined, and

20 a portion of said cable guide at a base part thereof is engaged with receding portions formed limitedly within respective ranges of widths of said wall portions.

25

5. A cable guide attached detachably to a connector cover included in a cabled connector with
30 a cable extending from said connector cover formed of a first half cover and a second half cover combined with each other, the cable guide comprising:

35 a first cable half guide and a second cable half guide combined with each other, each of the first cable half guide and the second cable half guide having a semicircular cross section, so as to

form a pipe form accommodating said cable therethrough,

wherein said first cable half guide and said second cable half guide includes respective portions so formed as to be coupled by being engaged with each other at end parts of the first cable half guide and the second cable half guide, and includes respective portions so formed as to be held between said first half cover and said second half cover at base parts of the first cable half guide and the second cable half guide.

15

6. A connector cover comprising:

a first half cover and a second half cover combined with each other so that a cable guide is attached detachably to said connector cover,

20 wherein said first half cover and said second half cover include respective wall portions confronting each other when said first half cover and said second half cover are combined, and

25 a portion of said cable guide at a base part thereof is engaged with receding portions formed limitedly within respective ranges of widths of said wall portions.